

Description of the calendar generator (2.1 legacy document)

Table of contents

1 Comments.....	3
-----------------	---

Table of contents

1 Calendar Generator.....3

2 Configuration.....3

Warning:

This document was copied as is from the Cocoon 2.1 documentation, but has not yet been fully reviewed or moved to its new home.

1. Calendar Generator

Here is a sample output:

```
<calendar:calendar xmlns:calendar="http://apache.org/cocoon/calendar/1.0" year="2004"
month="January" prevMonth="12" prevYear="2003" nextMonth="02" nextYear="2004">
<calendar:week number="1"> <calendar:day number="1" date="January 1, 2004"/>
<calendar:day number="2" date="January 2, 2004"/> <calendar:day number="3"
date="January 3, 2004"/> <calendar:day number="4" date="January 4, 2004"/>
</calendar:week> ... </calendar:calendar>
```

The *src* parameter is ignored.

2. Configuration

Configuration options:

- *month* (optional) : Sets the month for the calendar (January is 1). Default is the current month.
- *year* (optional) : Sets the year for the calendar. Default is the current year.
- *dateFormat* (optional) : Sets the format for the date attribute of each node, as described in `java.text.SimpleDateFormat`. If unset, the default format for the current locale will be used.
- *lang* (optional) : Sets the ISO language code for determining the locale.
- *country* (optional) : Sets the ISO country code for determining the locale.

1. Comments

add your comments