

Template-Matcher in Cocoon (2.1 legacy document)

Table of contents

1 Comments.....	4
-----------------	---

Table of contents

1 TemplateMatcher.....	3
2 Description.....	3
3 Usage.....	3
3.1 Sitemap pipeline examples.....	3
3.2 Sitemap component configuration example.....	3
3.3 Configuration.....	3
3.4 Setup.....	3
3.5 Effect on Object Model and Sitemap Parameters.....	3
4 Bugs/Caveats.....	3
5 History.....	4
6 See also.....	4

Warning:

This document was copied as is from the Cocoon 2.1 documentation, but has not yet been fully reviewed or moved to its new home.

1. TemplateMatcher

NAME	template
WHAT	The TemplateMatcher component is used to serve data in a sitemap pipeline.
TYPE	Matcher, Sitemap Component
BLOCK	Core/Block-Name/Scratchpad
CLASS	org.apache.cocoon.matching.TemplateMatcher
SINCE	Cocoon X.Y
CACHEABLE	not applicable

2. Description

A general description of TemplateMatcher

3. Usage

A usage scenario of TemplateMatcher

3.1. Sitemap pipeline examples

```
<map:pipelines> <map:pipeline> <map:match pattern="page-*.html"> <map:generator  
src="{1}" > <!-- option sitemap parameters --> </map:generator> </map:match>  
</map:pipeline> ...
```

3.2. Sitemap component configuration example

```
<map:matchers... <map:matcher name="template"  
src="org.apache.cocoon.matching.TemplateMatcher" logger="sitemap.matcher.template" />  
<!-- optional matcher configuration --> ... </map:matcher> ...
```

3.3. Configuration

Explain the sitemap matcher configuration, options when declaring template matcher

3.4. Setup

Explain the sitemap matcher setup, ie options when using template matcher

3.5. Effect on Object Model and Sitemap Parameters

4. Bugs/Caveats

5. History

MM-DD-YY: initial creation

6. See also

A general documentation about matchers is available at [Matchers and Selectors](#).

1. Comments

add your comments