

Refactoring of Cocoon Samples (2.1 legacy document)

Table of contents

1 Comments.....3

Table of contents

1 Overview.....	3
2 Procedure.....	3
3 Other discussion.....	3

Warning:

This document was copied as is from the Cocoon 2.1 documentation, but has not yet been fully reviewed or moved to its new home.

1. Overview

The Cocoon samples are now under `src/webapp/samples/` and have been refactored to be self contained, to have their own sitemaps, and to utilise some common resources.

However, there are still some old samples that have not yet been moved into this new structure. They are at `src/webapp/docs/samples/` and so are not available from the samples page. Please help to bring them back.

The main page of the samples is becoming rather cluttered again. The aim is to have various samples pages, rather than just one big page.

There are some missing groups of samples, e.g.

- Welcome => Samples => More Samples => Static Content
- Welcome => Samples => More Samples => Server Pages
- Welcome => Samples => More Samples => Sources
- Welcome => Samples => More Samples => Web Applications

2. Procedure

- Choose your favourite missing sample.
- Create a new directory under `webapp/samples`
- Follow the example of some other samples, e.g. `poi/` or `i18n/` or `misc/`
- `cp samples/misc/sitemap.xmap samples/yours/sitemap.xmap` and edit it to suit your own matches.
- `cp samples/misc/samples.xml samples/yours/samples.xml` and edit it to become the front page to your collection of samples.
- Move the documents from the old sample at `webapp/docs/samples`
- Make links to your new samples from other pages.
- Remove the old sample from `webapp/docs/samples`
- Ensure that the new sample works as expected.
- Send a [patch via Bugzilla](#)

DC: Explain how to retain CVS history when moving the files.

3. Other discussion

There has been some discussion on `cocoon-dev` ...

- [Samples Refactoring: Documentation Structure](#)

1. Comments

add your comments